

Actual4Labs

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

Login / Register

Shopping Cart (0)

Search...



Online Test Engine

Instant Online Access, Test History and Performance Review, Supports Windows / Mac / Android / iOS, etc. →

Desktop Test Engine

Installable Software Application, Simulates Real Exam Environment, Supports MS Operating System, Practice Offline Anytime. →

PDF Format

Printable PDF Format, Prepared by IT Experts, Study Anywhere, Anytime, Free PDF Demo Available. →

Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarante in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.actual4labs.com>

Excellent Quality Exam Dumps Questions Never Let You down -
Actual4Labs

Exam : **H12-221**

Title : HCNP-R&S-IERN (Huawei
Certified Network
Professional-Implementing
Enterprise Routing Network)

Vendor : Huawei

Version : DEMO

NO.1 Which of the following route entries match the IP-Prefix defined below?

ip ip-prefix test index 10 permit 192.168.0.0 16 greater-equal 24 less-equal 28

(Select 2 answers)

- A. 192.168.1.0/24
- B. 192.10.2.0/24
- C. 192.168.3.0/25
- D. 192.168.4.0/30

Answer: A,C

NO.2 Which of the following connection types can a Router LSA describe? (Select 3 answers)

- A. Point-to-point
- B. Star
- C. Transit
- D. Virtual link

Answer: A,C,D

NO.3 Which statements regarding BGP well-known mandatory attributes are true? (Select 3 answers)

- A. Well-known mandatory attributes must be recognized by all BGP routers.
- B. Well-known mandatory attributes impacts the path decision process.
- C. Well-known mandatory attributes are optional in an Update packet, and can be included in an Update packet as needed.
- D. Well-known mandatory attributes must be included in all Update packets.

Answer: A,B,D

NO.4 The router ID which is configured in the system view takes precedence over the router ID configured in the BGP view.

- A. TRUE
- B. FALSE

Answer: B

NO.5 OSPF uses SPF algorithm to compute the SPF tree based on the topology. What is the node of the SPF tree?

- A. Router
- B. Router and network segment
- C. Port and network segment
- D. Router and port

Answer: B

NO.6 Which of the following are multicast routing protocols? (Select 3 answers)

- A. DVMRP
- B. PIM-DM
- C. OSPF
- D. PIM-SM

Answer: A,B,D

NO.7 Which of the following attributes must exist in the BGP update messages? (Select 3 answers)

- A. LOCAL_PREF
- B. NEXT_HOP
- C. ORIGIN
- D. AS_PATH

Answer: B,C,D

NO.8 Which of the following IP addresses are network addresses? (Select 2 answers)

- A. 64.104.3.7/28
- B. 192.168.12.64/26
- C. 192.135.12.191/26
- D. 198.18.12.16/28

Answer: B,D

NO.9 In OSPF protocol, Different types of networks cannot establish an adjacency with each other in the Full state.

- A. TRUE
- B. FALSE

Answer: B

NO.10 If the subnet mask for Class A address is 255.255.240.0, how many bits are used for subnetting?

- A. 4
- B. 5
- C. 9
- D. 12

Answer: D

NO.11 Enabling MD5 authentication between BGP peers can prevent DoS attacks that target BGP peers.

- A. TRUE
- B. FALSE

Answer: A

NO.12 BGP peers are automatically discovered by exchanging multicast packets.

- A. TRUE
- B. FALSE

Answer: B

NO.13 Which of the following describes the relationship between BGP and AS?

- A. BGP only runs between ASs, and cannot run within an AS.
- B. BGP is an EGP used by ASs to exchange routing information with other ASs.

- C. BGP builds network topologies by exchanging link-state information between ASs.
- D. BGP cannot run between ASs.

Answer: B

NO.14 The unicast and multicast technologies are both outstanding in solving the problem of "single source, multiple destinations" in order to allow efficient P2MP data transmission.

- A. TRUE
- B. FALSE

Answer: B

NO.15 Which of the following is the address range assigned by IANA for SSM service in IPv4?

- A. 232.0.0.0/24
- B. 225.0.0.0/8
- C. 232.0.0.0/8
- D. 239.0.0.0/8

Answer: D

NO.16 When running in non-broadcast networks, OSPF uses one of the two modes: NBMA or P2MP.

- A. TRUE
- B. FALSE

Answer: A

NO.17 Which of the following statements are correct regarding OSPF intra-area route calculation? (Select 2 answers)

- A. Each OSPF router uses only one Router LSA to describe the local active link state for an area.
- B. Each OSPF router uses more than one Router LSA to describe local active link state for an area.
- C. One Router LSA describes only one link,
- D. One Router LSA describes more than one link.

Answer: A,D

NO.18 Which of the following is the multicast distribution tree maintained by PIM-DM?

- A. SFT
- B. CBT
- C. RFT
- D. STP

Answer: A

NO.19 Which of the following is a private AS number?

- A. 65410-65535
- B. 1-64511
- C. 64512-65535
- D. 64511-65535

Answer: C

NO.20 What does an IP address of 0.0.0.0 indicate?

- A. Network address
- B. Broadcast address of specially designated network segment
- C. All networks
- D. Broadcast address of all nodes of local network segment

Answer: C