

Actual4Labs

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

Login / Register

Shopping Cart (0)

Search...



Online Test Engine

Instant Online Access, Test History and Performance Review, Supports Windows / Mac / Android / iOS, etc. →

Desktop Test Engine

Installable Software Application, Simulates Real Exam Environment, Supports MS Operating System, Practice Offline Anytime. →

PDF Format

Printable PDF Format, Prepared by IT Experts, Study Anywhere, Anytime, Free PDF Demo Available. →

Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarantee in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.actual4labs.com>

Excellent Quality Exam Dumps Questions Never Let You down -
Actual4Labs

Exam : **ISS-003**

Title : Intel Server Specialist
Certification Exam

Vendor : CompTIA

Version : DEMO

NO.1 Which of the following are features of the Multi-Server Cloning option in the Intel@ Deployment Assistant?(Select ALL that apply).

- A. The servers must be connected via Ethernet cable to the management NIC.
- B. The BIOS and BMC settings cannot be cloned.
- C. The bootable image can be distributed via bootable USB key or across the network via a PXE server.
- D. Cloning is supported between any Intel dual socket server.
- E. Some parameters that should be unique with different servers can be modified.

Answer: C,E

NO.2 You are explaining to a potential customer the benefits of having an embedded web server in the BMC of their R2224WTTYS system, and how using the TAB >server health >sensor readings enables monitoring of many onboard devices as a way of reducing failure and promoting continuous server uptime. You have elected to give him a list of some of the items that are continuously monitored by the BMC. Please choose those that are monitored. (Select ALL that apply).

- A. HDD storage capacity
- B. System Fan speeds in RPM
- C. CPU threads and VR usage in amps
- D. Exhaust Air temperature 0C
- E. Memory capacity
- F. CPU Name and model number
- G. CPU VR Temperature in 0C
- H. System Airflow in CFM
- I. CPU TDP
- J. Front panel temperature in 0C

Answer: B,D,G,H,J

NO.3 Your customer is competing in a Government Tender which specifies Infiniband@ modules. Which of the following list of boards can support Infiniband@ I/O Modules such as the AXX1FDRIBIOM? (Select ALL that apply).

- A. Intel@ Server Board S2600CW
- B. Intel@ Server Board S1200V3RP
- C. Intel@ Server Board S2600KP
- D. Intel@ Server Board S1200V5SP
- E. Intel@ Server Board S2600WT

Answer: C,E

NO.4 A reseller would like to be able to reset the BMC of the server they manage without restarting the operating system, which of the following options are available to them?

- A. The "BMC Force Update" jumper can be set while the server is powered up and the BMC will automatically reset.
- B. The BMC can be reset by issuing the command syscfg /rbmc from within the operating system.
- C. The reseller can run a virtual EFI Session if Hyper-V is enabled and execute the syscfg /rbmc

command.

D. It is not possible to reset the BMC without restarting the operating system.

Answer: B

NO.5 Your customer is looking for new servers. Space is very limited; they have room for one new rack and want to add at least 30 servers. The servers need to be able to support E52600 v3 14 core processors, 768GB memory and 8 HDDs. Which of the following configurations would you recommend?

A. HNS2600TP & H2216XXKR2.

B. R2208WT2YS.

C. R1208WTXXX.

D. R1304WTXXX.

Answer: C

NO.6 Which of the following RAID levels should an Intel@ Server Specialist recommend to a customer who must have the highest reliability available, but only has room for four hard drives?

A. RAID 1

B. RAID 5

C. RAID 6

D. RAID 10

Answer: C

NO.7 What speeds do the integrated Ethernet controllers (LOM) support, in the current generation - Grantley (S2600 series boards for Intel Xeon E5v3 series CPUs)? (Select ALL that apply).

A. 1 Gb/s

B. 2.5 Gb/s

C. 5 Gb/s

D. 10 Gb/s

E. 15 Gb/s

F. 40 Gb/s

Answer: A,D

NO.8 As an Intel@ Server Specialist you are being asked which file should be modified to change the FAN control policy on systems based on S2600CW. Please select one of the following.

A. You should modify the .FRU file

B. You should modify the .CAP file

C. You should modify the .SDR file

D. You should modify the .CFG file

E. You should modify the .NSH file

Answer: C

NO.9 A customer needs a hardware manageability solution for a large order. Which of the following server systems should an Intel@ Server Specialist recommend that has Intel@ Node

Managersupport? (Select ALL that apply).

- A. Intel@ Server System R1304BTSSFANR
- B. Intel@ Server System R1304RPSSFBN
- C. Intel@ Server System SR1630BC
- D. Intel@ Server System P4304BTSSFCNR
- E. Intel@ Server System R1304WTTGS

Answer: B,E

NO.10 Asan Intel@ Server Specialist you have been asked which type of Server remote control can be provided by Intel hardware? (Select ALL that apply).

- A. SOL
- B. KVM
- C. Telnet
- D. eRDP
- E. RDP
- F. RDC

Answer: A,B

NO.11 Which of the following is the device that provides the cache when using SSD cache with Fastpath Premium Feature Key?

- A. A writable DVD-ROM
- B. RAID controller memory
- C. System memory
- D. Solid state disks

Answer: D

NO.12 While installing MS Windows 2012 R2 on a RAID array created on an Intel@ RAID controller RS3MC044 the array cannot be found. How would you proceed from the list below?

- A. The Drives are not marked online
- B. The Virtual Drive was not initialized
- C. The Virtual Drive is not set as bootable
- D. A driver is required
- E. The Intel@ RAID controller is not the first boot device

Answer: D